



# Bring Farm Edges Back to Life!

## Landowner Conservation Handbook

Yolo County Resource Conservation District  
221 West Court Street, Suite 1  
Woodland, CA 95695



tel: 530.662.2037 x5  
fax: 530.662.4876  
[www.yolorcd.ca.gov](http://www.yolorcd.ca.gov)

# Bring Farm Edges Back to Life!

Designed and edited by Paul Robins, Rebecca Bresnick Holmes, and Katherine Laddish  
5th Edition, July 2001  
reprinted May 2002  
Copyright Yolo County Resource Conservation District

to purchase a copy:

Please send your request by e-mail to [pratt@yolorcd.org](mailto:pratt@yolorcd.org)  
or telephone us at **530.662.2037**, extension 117.

Please also visit our website at: [www.yolorcd.org](http://www.yolorcd.org). This site reflects a cooperative effort  
with our partner agency, the USDA: Natural Resources Conservation Service (NRCS).

# Bring Farm Edges Back to Life!

## Table of Contents

Introduction	1
Making Wildlife and Clean Farming Compatible <i>John Anderson, Hedgerow Farms</i>	3
<b>Conservation Practices</b>	
Direct Seeding of California Native Grasses in the Sacramento Valley and Foothills <i>John Anderson, Hedgerow Farms</i>	5
Establishing Hedgerows for Pest Control and Wildlife <i>Mary Kimball &amp; Celia Lamb, Yolo County RCD</i>	11
Roadside Establishment of Native Perennial Grasses <i>Jeanette Wrysinski, Yolo County RCD</i>	19
Tailwater Ponds for Water Quality, Habitat and Farmland Benefits <i>John Anderson, Hedgerow Farms &amp; Jeanette Wrysinski, Yolo County RCD</i>	25
Hill Ponds for Landowner and Wildlife Benefits <i>Jeanette Wrysinski, Yolo County RCD</i>	33
Riparian Enhancement on Sloughs <i>Paul Robins, Yolo County RCD</i>	37
Selected Irrigation Canal Vegetation for Seasonal Summer Systems <i>John Anderson, Hedgerow Farms</i>	45
Levee Revegetation with Native Grasses <i>John Anderson, Hedgerow Farms &amp; Rick Rominger, Rominger Brothers Farming</i>	49
<b>Wildlife &amp; Insects</b>	
Attracting Barn Owls to Farms <i>Chuck Ingels, UC Cooperative Extension, Sacramento, CA</i>	53

Potential Bird Box Nesting Species in the Sacramento Valley	57
Beneficial Insects and Their Association with Trees, Shrubs, Cover Crops, and Weeds	59
<i>from Farming with Insectary Plants, Robert L. Bugg, Sustainable Agriculture Research and Education Program</i>	
Use of Bats to Enhance Insect Pest Control in the Central Valley	63
<i>Rachael F. Long, Farm Advisor, Pest Management, UCCE Yolo County &amp; Claudia Funari, Research Assistant, UCCE Yolo County</i>	
Who Might I Find in My Bat House?	67
<i>from Bat House Builders Handbook, Merlin Tuttle &amp; Donna L. Hensley</i>	

## **Planting Techniques & Weed Control**

Using Transplants to Establish Native Grasses, Sedges, and Rushes (Pug Planting)	69
<i>John Anderson, Hedgerow Farms</i>	
Propagation of Tress & Shrubs by Stem Cutting	71
<i>Tom Griggs, Restoration Ecologist, The Nature Conservancy</i>	
How to Grow California Oaks	73
<i>Douglas D. McCreary, Natural Resource Specialist, UC Cooperative Extension</i>	
Effective Herbicides for Conservation Projects	77
<i>Bryan Young, Sacramento County Bufferlands Program</i>	
Common Herbicides and Their Effectiveness on Common Weeds	81
Yolo County RCD Weed Hit List	83

## **Project Support**

Cost-Share Programs for Resource Conservation and Wildlife Habitat Development	85
<i>Paul Robins, Yolo County RCD</i>	
Index of Assistance Opportunities for Conservation Projects	88
<i>Jeanne Wirka &amp; Judy Boshoven, Audubon, CA</i>	
Cost-Sharing Options for Conservation Plans (Three Farms)	95
<i>Paul Robins, Yolo County RCD</i>	
Vendors and Contractors for Conservation Work	99

---

## Introduction

Every farmer has them: odd corners, strips of field, or ditch banks that are too awkward to farm economically. But you can't just let them sit or they become noxious weed patches that compromise your operation. They typically have to be mowed, scraped, sprayed and/or disked several times every year. That's costly maintenance for a weed patch.

The Yolo County Resource Conservation District (RCD) recommends an alternative protocol for these spaces that not only suppresses weeds with less annual maintenance, but stabilizes the soil and brings wildlife and beneficial insects back to your farm. Using native perennial grasses, flowers, shrubs, and trees, you can turn your farm edge liabilities into assets. In this booklet you will find proven techniques for establishing hedgerows, tailwater and wildlife ponds, and permanent non-weedy vegetation on roadsides, canal banks, field edges and creeks.

Over the years, local farmers and landowners have experimented with different conservation practices on their farms that would enable them to meet the multiple objectives of conserving soil and water and improving wildlife habitat while maintaining intensive agricultural production. The practices detailed in this booklet are products of the trials and successes of their efforts to integrate on-farm resource management. All of these practices are possible and easy to implement with basic farming or landscaping equipment. Of course, they do



*Western Yolo County*

cost time and money. This book contains sections that detail the typical costs of these practices and ways to get private and public cost-share support to implement them. If you have any questions about the information included, please feel free to call us. We're happy to provide planning assistance to help you in your efforts to bring your farm edges back to life!

### About the Yolo County Resource Conservation District

Our name sounds official, but our activities aren't. We don't regulate or mandate. Bridging agricultural issues with science, education, and government, the RCD is an information network between landowner resource problems and the best solutions.

The Yolo RCD recognizes farmers and ranchers as key players in all real-world solutions. Because our directors are local producers who know farming, business, and resources, we work to assure community context and relevance, acting as a filter and network for ideas, training, outreach, and partnerships between land and resource users, specialists, regulators, and funders.

The RCD is committed to local control, believing the more we learn about our resources, the more we control our own backyard. The more we work with our neighbors, the less we face outside regulatory solutions that don't work. To this end, we are working to integrate resource management solutions that will:

- Reduce losses of habitat and diversity, both in wildlife and plant species.
- Bring together parties with common goals and interests.
- Create integrated management models to encourage best "multiple" resource use.
- Prevent pollution of waterways and groundwater from pesticide run-off, sediment, and nutrient buildup.

---

## Making Wildlife Habitat and Clean Farming Compatible

*John Anderson, Hedgerow Farms*

Farmers, land managers, and agricultural advisors have begun to realize the long-term impacts of the traditional approach of “clean farming.” The practice of keeping all land that isn’t planted to a crop either scraped or sprayed clean has resulted in cumulative soil losses and sediment buildup in unwanted areas. In most cases, attempts to keep ground “clean and bare” are unsuccessful, and they instead turn into reservoirs of unwanted weeds and thus seeds that then spread into the cropland. The results include a great monetary cost to the farmer, a cost to the land in the proliferation of weeds and other problems, and an overall loss of valuable habitat.

We all hear increasing complaints from many quarters about the negative impact of modern agricultural practices on the environment, especially on surface and ground water quality. Are there farm-friendly solutions to these challenges that do not threaten productivity and that help reduce erosion, improve water quality, and save labor or chemical costs in the long run? Have we forgotten that the goal of “clean” farming means weed-free, not vegetation-free?

Current clean farming practices in most of Yolo County’s intensively farmed areas are dramatically reducing or eliminating wildlife habitat within the agricultural systems. The impulse to maintain borders, berms, and roadsides without vegetation, as well as use all available farmland for production, results in a brown, barren, landscape that lasts from plowdown in the fall until spring planting. One impact of successful farming is the unfortunate, lifeless state of vast acres once so important to the myriad of species that inhabited the Sacramento Valley. More and more, “productivity” is judged by measuring only intensely cultivated monocultures.

In our view there is no inevitable, long-term conflict between good farming and biodiversity. Quail, raptors, and pest-eating bats are less apparent in many sites. How often does one see a snake or toad on the road anymore? Threats to biodiversity come not so much from increased traffic, but from a lack of natural habitat. When farmers believe that only one version

of “clean farming” is economically viable, one result is a lack of habitat.

The number one reason for bare dirt clean farming is to control the invasion of noxious weeds. This is certainly a valid concern since any area of bare and disturbed soil will be rapidly colonized by a host of nasty and unsightly vegetation. Star thistle, puncture vine, Johnson grass, bindweed, and mustard are but a few of the undesirables that we continually spray, disk, and scrape to eliminate. The number two reason for bare dirt clean farming is that it has become the accepted, automatic practice. Border vegetation implies sloppy farming—what will the landlords, neighbors or bankers think?

What can be done to reverse the current scenario without impacting the agricultural livelihood of the valley? Certainly most farmers appreciate wildlife and evidence suggests that a biodiverse border of plant species provides habitat for many beneficial insects and predators (such as raptors, bats and reptiles). Instead of a high maintenance, bare dirt system, we propose a balanced, self-sustaining perennial grassland that outcompetes any weedy invasion. Corridors of mixed native perennial grasses along roadsides, berms, ditch banks, canals, field borders, and any non-cropped area, provide excellent year-round habitat for wildlife without a negative impact on overall farming practices. Incorporating patches of native shrubs and/or trees into these corridors greatly increases the biodiversity and habitat value.



*Hedgerow Farms, Yolo County*

These concepts are widely practiced in Midwestern farming areas but have not yet been accepted by the California Valley farmers. Can it be done? Hedgerow Farms, located between Winters and Madison, has been incorporating and testing habitat corridor systems since 1978. Without question, native grasslands provide weed and erosion control, reduce maintenance, and greatly enhance the biodiversity and aesthetics of the farm. Over 100 species of birds use the farm throughout the year and dozens of rooster pheasants and dove are harvested during the hunting season. We now have a well-established quail population and have documented a myriad of songbird and beneficial insect species.

Neighbors Bruce and Charlie Rominger, who farm ground adjacent to the corridors, have not seen any significant negative impact on their crop production. In fact, the most difficult aspect of farming with corridors is training tractor drivers to recognize the borders and avoid disking over newly-established vegetation. We have also found that overall herbicide application decreases. The steps toward shifting away from a clean-farming approach are easy, especially for a farmer. It is simply a matter of farming the corridor to get it established.

A wide variety of native and non-native perennial grass seed is now available. Establishing a stand is similar to growing wheat or barley. Because perennial grasses grow much slower, weed management in the first year is very important. Timing of planting, selective herbicide application, and mowing are all important tools for success. The slow-growing establishment period explains why these grasses are not invasive weeds, and perhaps why they disappeared from much of California's agriculturally-impacted areas.

In short, mixed plant field corridors are certainly a reasonable, workable compromise that could become normal, cost-effective practices for good farmland stewardship. The visual image of clean farming for the future should be borders of perennial grasslands, not lifeless borders of bare dirt. Weed-free does not mean vegetation-free. With the use of mixed plant field corridors, environmental quality and quality of life would be significantly enhanced, especially for those of us that live and work in the agricultural landscape.